


Pharmacist Administered Vaccines

Types of Vaccines Authorized to Administer

Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories



Any vaccine	AL, AK, AZ*, AR*, CA, CO, CT, DC*, DE*, FL, GA*, HI*, ID, IL, IN*, IA, KS, KY*, LA*, MA, ME, MD, MO*, MI*, MN, MS, MT, NE, NV, NJ*, NM, NC, ND, OH, OK, OR, PA, PR*, RI, SC*, SD*, TN, TX, UT*, VT, VA*, WA, WI
Influenza, Pneumo and Zoster (I, P, Z)	NH
Other combos	NY, WV**, WY**

* Via Rx for some; ** broad list of vaccines


Updated August 2015

Pharmacist Administered Vaccines

Prescriber issued protocols vs Rx

Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories




Protocol	FL, KS, MN, NV, WI
Protocol or Rx (depending on age and/or vaccine)	AL, AR, CO, CT, DC, DE, GA, HI, IL, IN, IA, KY, MA, MI, MS, MO, NE, NY, NC, ND, OH, OK, PA, PR, RI, TN, TX, UT, VT, WA
Protocol/Rx or No Prescriber/Rx Needed (depending on age and/or vaccine)	AK, AZ, CA, ID, LA, ME, MD, MT, NH, NJ, NM, OR, SC, SD, VA, WV, WY

Pharmacist Administered Vaccines

Patient-Age Limitations

Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories



>18yo	CT, FL, MA, NY, PR*, VT, WV
≥14yo	HI*, NC ^L
≥12 yo	MT*
≥10yo	IL ^{L,*} , MN ^L
≥9yo	DE, ME ^L , MD ^{*,L} , PA ^L , RI ^L
≥7yo	AR ^{*,L} , NJ ^{*,L} , OH*, WY ^L
≥6yo	AZ ^L , KS ^L , WI*
≥5yo	ND ^L
Any age	AL, AK, CA, CO, DC*, GA*, ID*, IN*, IA*, KY*, LA*, MI, MS, MO, NE, NV, NH ^L , NM, OK, OR*, SC*, SD*, TN, TX*, UT, VA*, WA

* Scope varies

* Via Rx


^L Limited to certain vaccines ³

Updated August 2015

Pharmacist Administered Vaccines

Patient-Age Limitations **via RX**

Based upon APhA / NASPA Survey of State IZ Laws/ Rules



≥18yo	CT, ME, MA, NY*, NC, PR, SC, VT, WV, WY
≥14yo	HI
≥11yo	IN, MD*, ND
≥10yo	IL*
≥9yo	DE, MD*, PA*, RI*
>7yo	AR, OH, NJ*
≥6yo	AZ, WI*
Any age	AL, AK, CA, CO, DC, GA, ID, IN, IA, KY, LA, MI, MS, MO, NE, OK, OR, SC, SD, TN, TX, UT, VA, WA,


- Scope varies

Pharmacist Administered Vaccines

Patient-Age Limitations **via prescriber protocol**

Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories



≥18yo	CT, FL, HI, ME, MA, MT*, NJ, NY*, PR*, SC*, VT, VA
≥14yo	HI*, NC*
≥13yo	GA*
≥12yo	DC, MO*
≥11yo	IN
≥10yo	IL*, IN*, MN*
≥9yo	DE, KY*, ME*, PA*, RI*
≥7yo	AR, OH*, TX*
≥6yo	IA*, KS*, WI, VA*
≥5yo	ND*
Any age	AL, CA, CO, MI, MS, MT, NE, NM, NV, OK, SD, TN, UT, WA

Pharmacist Administered Vaccines

May student interns administer vaccines?

Based upon APhA / NASPA Survey of State IZ Laws/ Rules (effective January 1, 2014)


Number of states / territories allowing	46
States / territories not authorized	5 (MA, NH, NJ, NY, PR)
Criteria common among states	<ul style="list-style-type: none">•Student must be trained (complete Certificate Training Program)•Operating under supervision of trained pharmacist

Pharmacist Administered Vaccines

Authority to Administer Pneumococcal Vaccine


Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories



■ Number of states / territories

States



AL, AK, AZ*, AR, CA, CO, CT, DC*, DE, FL, GA*, HI, IA, ID, IL, IN, KS, KY*, LA*, MA*, MD*, ME, MI, MN, MO, MS, MT**, NE, NH, NV, NJ, NM, NC, ND, NY, OH, OK, OR, PA, PR, RI, SC*, SD* TN, TX, UT, VT, VA, WA, WV, WI, WY***

*Via Rx / pt specific protocol for some

**Pneumococcal polysaccharide without an Rx; all other forms under protocol


***Pneumococcal polysaccharide only

Pharmacist Administered Vaccines

Authority to Administer Zoster Vaccine

Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories




States	
	AL, AK, AZ, AR, CA, CO, CT, DC, DE, FL, GA, HI, ID, IL, IN, IA, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NE, NH, NY, NV, NJ, NM, NC, ND, OH, OK, OR, PA, PR*, RI, SC*, SD, TN, TX, UT, VT, VA, WA, WI, WV, WY

*Via Rx only

Pharmacist Administered Vaccines Authority to Administer Td / Tdap


Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories



Yes	AL, AK, AZ, AR, CA, CO, CT, DC, DE, FL, GA*, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NE, NV, NJ, NM, NY NC, ND, OH, OK, OR, PA, PR*, RI, SC*, SD, TN, TX, UT, VA, VT, WA, WI, WV, WY
No	NH

Pharmacist Administered Vaccines Authority to Administer HPV Vaccine



	Pharmacists can administer HPV
	Pharmacists can administer HPV – but only by Rx
	Pharmacists cannot administer HPV

PR


Based upon APhA/NASPA Survey of State IZ Laws/ Rules Updated July 1, 2015

Pharmacist Administered Vaccines

Authority to Administer HPV

Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories



Yes	AL, AK, AZ ^A , AR ^A , CA, CO, CT ^A , DC ^A , DE, FL ^A , GA ^R , HI ^A , ID ^A , IL ^A , IN, IA ^A , KS ^A , KY ^A , LA ^A , ME ^A , MD ^A , MA ^A , MI, MN ^A , MO ^R , MS, MT ^A , NC ^A , ND, NE, NJ ^A , NM, NV, OH ^A , OK, OR, PA ^A , RI ^A , PR ^{A,R} , SC ^{A,R} , SD, TN, TX ^A , UT, VT ^A , VA ^A , WA, WI, WY ^A , DC
No	NH, NY, WV

^R Via Rx only


^A Age limitation (may not allow or may require Rx for 12-18)

Pharmacist Administered Vaccines

Patient-Age Limitations – for HPV Vaccination

Based upon APhA / NASPA Survey of State IZ Laws/ Rules


Number of states / territories



>18yo	AZ*, AR*, CT, FL, HI, IA*, KS, ME, MD*, MA, MN, MT, NC ^R , NJ, PA, PR ^R , RI, SC ^R , VA*, VT, WY
>17yo	LA*
>14yo	IL, KY*, TX*
>13yo	OH*
>12yo	ID*, DC*
>11yo	IN*, ND, OR*
>9yo	DE
≥6yo	WI
No Age Limit	AL, AK, CA, CO, GA ^R , MI, MS, MO ^R , NE, NV, NM, OK, SD, TN, UT, WA

Pharmacist Administered Vaccines

Authority to Administer MMR Vaccine



	Pharmacists can administer MMR
	Pharmacists can administer MMR– but only by Rx
	Pharmacists cannot administer MMR


PR

Based upon APhA/NASPA Survey of State IZ Laws/ Rules Updated July 1, 2015

Pharmacist Administered Vaccines Authority to Administer MMR

Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories



Yes	AL, AK, AZ ^A , AR, CA, CO, CT ^A , DE, FL ^A , GA ^R , HI ^A , ID, IL, IN ^R , IA ^A , KS ^A , KY, LA, ME ^A , MD ^A , MA ^A , MI, MN ^A , MO ^R , MS, MT ^A , NE, NJ ^A , NM, NC ^A , ND, NV, OH, OK, OR, PA ^A , RI ^A , PR ^{A,R} , SC ^R , SD, TN, TX, UT, VT ^A , VA ^A , WA, WI, WY ^A , DC
No	NH, NY, WV

^R Via Rx only


^A Age limitation (may not allow or may require Rx for certain ages <18)

Pharmacist Administered Vaccines

Patient-Age Limitations – for MMR Vaccination

Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories



>18yo	AZ*, AR*, CT, FL, HI, IA*, KS, ME, MD*, MA, MN, MT, NC ^R , NJ, PA, PR ^R , RI, SC ^R , VA*, VT, WY
>17yo	LA*
>14yo	IL, KY*, TX*
>13yo	OH*
>12yo	ID*, DC*
>11yo	ND, OR*
>9yo	DE
≥6yo	WI
No Age Limit	AL, AK, CA, CO, GA ^R , IN ^R MI, MS, MO ^R , NE, NV, NM, OK, SD, TN, UT, WA

*Younger ages under prescription


^R Requires a prescription

Pharmacist Administered Vaccines

Authority to Administer Meningococcal

Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories



Yes	AL, AK, AZ ^A , AR, CA, CO, CT ^A , DC ^A , DE, FL ^A , GA ^R , HI ^A , ID ^A , IL ^A , IA ^A , IN, KS ^A , KY ^A , LA ^A , ME ^A , MA ^A , MD ^A , MI, MN ^A , MO ^A , MS, MT ^A , NC ^A , ND, NE, NJ ^A , NM, NY ^A , NV, OH ^A , OK, OR, PA ^A , PR ^{R,A} , RI ^A , SC ^{A,R} , SD, TN, TX ^A , UT, VT ^A , VA ^A , WA, WV, WI, WY ^A
No	NH

^R Via Rx only


^A Age limitations (may not allow or may require Rx for 11-18)

Pharmacist Administered Vaccines

Patient-Age Limitations – for Meningococcal

Based upon APhA / NASPA Survey of State IZ Laws/ Rules

Number of states / territories



>18yo	AZ*, CT, FL, HI, IA*, KS, ME, MD*, MA, MN, MT, NC, NJ, NY, PA, RI, PR ^R , SC ^R , VT, VA*, WY
>17yo	LA*
>14yo	IL, KY*, TX*
>13yo	OH*
>12yo	DC, ID, MO*
>11yo	IN*, ND, OR*
>9yo	DE
≥7yo	AR
≥6yo	WI
No Age Limit	AL, AK, CA, CO, GA ^R , MI, MS, NE, NV, NM, OK, SD, TN, UT, WA


*May allow for younger ages under prescription
^R Via Rx only

Pharmacist Administered Vaccines

Influenza - Age of Administration Authorized

by Any Provision

Based upon APhA / NASPA Survey of State IZ Laws/ Rules




≥18yo	CT, FL, MA, NY, PR, VT, WV
≥14yo	HI*, NC
≥12yo	ID, MT
≥10yo	IL, MN
≥9yo	DE, ME, MD, PA, RI
≥7yo	AR, OH, WY
≥6yo	AZ, KS, NJ*, WI
≥5yo	ND
Any age	AL, AK, CA, CO, DC*, GA*, IN*, IA*, KY*, LA*, MI, MS, MO*, NE, NH, NM, NV, OK, OR*, SD, SC*, TN, TX*, UT, VA*, WA

* Requires Prescription

Pharmacist Administered Vaccines

Influenza - Age of Adm Authorized **by Protocol**

Based upon APhA / NASPA Survey of State IZ Laws/ Rules



≥18yo	CT, FL, HI, MA, NJ, NY, PR, VT
≥14yo	NC
≥13yo	GA
≥12 yo	DC, MO
≥11yo	IN
≥10yo	IL, MN
≥9yo	DE, KY, PA, RI
≥7yo	AR, OH, TX
≥6yo	AZ, IA, KS, WI
≥5yo	ND
Any age	AL, CA, CO, MI, MS, NE, NV, OK, SD, TN, UT, WA


Pharmacist Administered Vaccines

Influenza **No MD protocol or Rx Needed**

Based upon APhA / NASPA Survey of State IZ Laws/ Rules



Number of states / territories



≥18yo	SD, WV
≥12yo	ID, MT, NJ, SC
≥11yo	OR
≥9yo	ME, MD
≥7yo	LA, WY
≥6yo	AZ
≥3yo	CA
≥6mo	VA
Any age	AZ, NH, NM

Note: authority comes from statute and/or regulation from BOP or Public Health